




Elevation

Semi-recessed fluorescent luminaire with high performance central optic and elegant wings for more indirect lighting

- Современный, тонкий дизайн без излишеств с постепенным переходом света от центральной оптики на потолок
- Отличные оптические характеристики со значением КПД до 82%
- Легко устанавливается и соединяется
- Дополнительное диммирование, минисенсор и аварийные версии



Фотографии, линейные чертежи и фотометрические данные показаны только в качестве образца. Для получения специфической информации пожалуйста выберите индивидуальный продукт.



96239064

Material/Finish

Body and reflectors: sheet steel painted white (close to RAL9010)

Wings: reeded opal acrylic (AC)

Louvre: Satinbrite double parabolic aluminium

Optic: MPT (Micro Prism) solid optic

Монтаж/Обслуживание

Lay-in (into 15 and 24mm ceiling grid system) and lay-out fitting. Quick and easy to install via plug and play connection facility, simple mounting brackets and click and fix components. Lamps are easily accessible via removable central optic. Electrical connection is via flush panel mounted GST 18/4 mael connector (plug) for HF WL4 versions and 18/6 box T connector for dimmable WL6 versions which protrudes 30mm from back of body. E3TX emergency versions have an additional 18/3 box T connector (not mains rated) protruding 30mm from back of body.

Спецификация

To specify state:

High performance (82% LOR) semi-recessed fluorescent luminaire with opal wings and central satinbrite louvre or MPT optic for 24W T16 or 55W TC-L lamps with electronic fixed output/digital dimmable gear and options for mini-sensor/LED emergency.

As Thorn Elevation

Elevation

Инструкция для заказа Supplied complete with lamp(s). Wieland connectors and gripple wire to be ordered separately

Описание	Код ILCOS	Патрон	Вт (кг)	Код SAP
Elevation, Стандартные версии				
ELEVAT 1x55 TC-L HF MPT AC WL L840	FSDH	2G11	6,5	96238999
ELEVAT 2x24 T16 HF MPT AC WL L840	FDH	G5	6,6	96239000
ELEVAT 1x55 TC-L HF DSB AC WL L840	FSDH	2G11	6,3	96239063
ELEVAT 2x24 T16 HF DSB AC WL L840	FDH	G5	6,4	96239064
ELEVAT 1x55 TC-L HF DSB AC WL L830	FSDH	2G11	6,3	96239405
ELEVAT 2x24 T16 HF DSB AC WL L830	FDH	G5	6,4	96239406
ELEVAT 1x55 TC-L HF MPT AC WL L830	FSDH	2G11	6,5	96239407
ELEVAT 2x24 T16 HF MPT AC WL L830	FDH	G5	6,6	96239408
Аварийные версии Elevation Standard				
ELEVAT 1x55 TC-L HF E3TX MPT AC WL L840	FSDH	2G11	6,9	96239017
ELEVAT 2x24 T16 HF E3TX MPT AC WL L840	FDH	G5	7	96239018
ELEVAT 1x55 TC-L HF E3TX DSB AC WL L840	FSDH	2G11	6,7	96239069
ELEVAT 2x24 T16 HF E3TX DSB AC WL L840	FDH	G5	6,8	96239070
ELEVAT 1x55 TC-L HF E3TX DSB AC WL L830	FSDH	2G11	6,7	96239429
ELEVAT 2x24 T16 HF E3TX DSB AC WL L830	FDH	G5	6,8	96239430
ELEVAT 2x24 T16 HF E3TX MPT AC WL L830	FDH	G5	7	96239432
ELEVAT 1x55 TC-L HF E3TX MPT AC WL L830	FSDH	2G11	6,9	96239431
Elevation, Версии с регулируемой яркостью				
ELEVAT 2x24 T16 HFD MPT AC WL L840	FDH	G5	6,8	96239006
ELEVAT 1x55 TC-L HFD MPT AC WL L840	FSDH	2G11	6,7	96239005
ELEVAT 1x55 TC-L HFD DSB AC WL L840	FSDH	2G11	6,5	96239065
ELEVAT 2x24 T16 HFD DSB AC WL L840	FDH	G5	6,6	96239066
ELEVAT 1x55 TC-L HFD DSB AC WL L830	FSDH	2G11	6,5	96239413
ELEVAT 2x24 T16 HFD DSB AC WL L830	FDH	G5	6,6	96239414
ELEVAT 1x55 TC-L HFD MPT AC WL L830	FSDH	2G11	6,7	96239415
ELEVAT 2x24 T16 HFD MPT AC WL L830	FDH	G5	6,8	96239416
Elevation, Аварийные версии				
ELEVAT 2x24 T16 HFD E3TX MPT AC WL L840	FDH	G5	7,2	96239024
ELEVAT 1x55 TC-L HFD E3TX MPT AC WL L840	FSDH	2G11	7,1	96239023
ELEVAT 2x24 T16 HFD E3TX DSB AC WL L840	FDH	G5	7	96239072
ELEVAT 1x55 TC-L HFD E3TX DSB AC WL L840	FSDH	2G11	6,9	96239071
ELEVAT 1x55 TC-L HFD E3TX DSB AC WL L830	FSDH	2G11	6,9	96239437
ELEVAT 2x24 T16 HFD E3TX DSB AC WL L830	FDH	G5	7	96239438
ELEVAT 2x24 T16 HFD E3TX MPT AC WL L830	FDH	G5	7,2	96239440
ELEVAT 1x55 TC-L HFD E3TX MPT AC WL L830	FSDH	2G11	7,1	96239439
Elevation, Версии с « Mini Sensor»				
ELEVAT 2x24 T16 HFL MPT AC WL L840	FDH	G5	6,9	96239012
ELEVAT 1x55 TC-L HFL MPT AC WL L840	FSDH	2G11	6,8	96239011
ELEVAT 1x55 TC-L HFL DSB AC WL L840	FSDH	2G11	6,6	96239067
ELEVAT 2x24 T16 HFL DSB AC WL L840	FDH	G5	6,7	96239068
ELEVAT 1x55 TC-L HFL DSB AC WL L830	FSDH	2G11	6,6	96239421
ELEVAT 2x24 T16 HFL DSB AC WL L830	FDH	G5	6,7	96239422

Elevation

Описание	Код ILCOS	Патрон	Вт (кг)	Код SAP
ELEVAT 2x24 T16 HFL MPT AC WL L830	FDH	G5	6,9	96239424
ELEVAT 1x55 TC-L HFL MPT AC WL L830	FSDH	2G11	6,8	96239423
Elevation, Аксессуары				
CONNECT T4			2,8	96200562
CONNECT EM S3 R			0,022	96503766
GRIPPLE SAFETY WIRE			0,01	96239327