




## Line XS

### Серия ультратонких овальных светильников T16 (T5) для подвесного монтажа, дополняющая ряд изделий Line XS

- Перфорированная сторона с выбором голубой или матовой цветной вставки
- Сверхтонкий корпус (глубина 52 мм)
- Идеально подходит для офисов, конференц-залов, образовательных учреждений
- Возможность выбора трех вариантов распределения света: световой поток направлен только вверх, экранирующая решетка прямого/отраженного света, рассеиватель



Фотографии, линейные чертежи и фотометрические данные показаны только в качестве образца. Для получения специфической информации пожалуйста выберите индивидуальный продукт.



96013561

### Material/Finish

Корпус и торцевая заглушка: сталь с порошковым покрытием белого цвета или с текстурированным покрытием серого цвета.

Экранирующая решетка: анодированный алюминий.

Рассеиватель: акрил.

Направление потока света вверх: сталь с порошковым покрытием белого цвета или с текстурированным покрытием серого цвета.

### Монтаж/Обслуживание

Подвесной светильник поставляется с белым или серым (под цвет корпуса) кабелем длиной 2.6 м; кабель с безгалогенной изоляцией

сечением 3 x 0.75мм<sup>2</sup> (5 x 0.75мм<sup>2</sup> для вариантов с цифровым диммированием). Подвесной вариант поставляется в комплекте с подвесными тросами «Quicklock». Варьируемое расстояние между тросами: 21Вт (600-800 мм), 28Вт (600-1100 мм) и 35Вт

(600-1200 мм). При монтаже в виде непрерывной линии возможна сквозная электропроводка. Для вариантов отраженного света требуется комплект сквозной электропроводки. Подключение к сети питания: кабель 3 x 2.5мм<sup>2</sup> к клавишной клеммной колодке. При монтаже в виде непрерывной линии непосредственно светильник к светильнику используются соединители, предварительно установленные в корпусе.

## Line XS

**Инструкция для заказа** Lamps to be ordered separately / Supplied complete with lamps

| Описание                              | Код ILCOS | Патрон | Вт (кг) | Код SAP  |
|---------------------------------------|-----------|--------|---------|----------|
| <b>Line XS Tech</b>                   |           |        |         |          |
| LINE XS TECH 2X21W WHI PF/BLU         | FDH       | G5     | 2,3     | 96013006 |
| LINE XS TECH 2X21W GRY PF/BLU         | FDH       | G5     | 2,3     | 96013007 |
| LINE XS TECH 2X28W WHI PF/BLU         | FDH       | G5     | 3,1     | 96013012 |
| LINE XS TECH 2X28W GRY PF/BLU         | FDH       | G5     | 3,1     | 96013013 |
| LINE XS TECH 2X35W WHI PF/BLU         | FDH       | G5     | 3,9     | 96013024 |
| LINE XS TECH 2X35W GRY PF/BLU         | FDH       | G5     | 3,9     | 96013025 |
| LINE XS TECH 2X21W WHI PF/OP          | FDH       | G5     | 2,3     | 96013555 |
| LINE XS TECH 2X21W GRY PF/OP          | FDH       | G5     | 2,3     | 96013556 |
| LINE XS TECH 2X28W WHI PF/OP          | FDH       | G5     | 3,1     | 96013561 |
| LINE XS TECH 2X28W GRY PF/OP          | FDH       | G5     | 3,1     | 96013562 |
| LINE XS TECH 2X35W WHI PF/OP          | FDH       | G5     | 3,9     | 96013573 |
| LINE XS TECH 2X35W GRY PF/OP          | FDH       | G5     | 3,9     | 96013574 |
| <b>Line XS Tech, dimmable</b>         |           |        |         |          |
| LINE XS TECH 2X21W HFD SWD GRY PF/BLU | FDH       | G5     | 2,6     | 96013009 |
| LINE XS TECH 2X28W HFD SWD WHI PF/BLU | FDH       | G5     | 3,1     | 96013014 |
| LINE XS TECH 2X28W HFD SWD GRY PF/BLU | FDH       | G5     | 3,1     | 96013015 |
| LINE XS TECH 2X28W HFD WHI PF/BLU     | FDH       | G5     | 3,1     | 96013022 |
| LINE XS TECH 2X28W HFD GRY PF/BLU     | FDH       | G5     | 3,1     | 96013023 |
| LINE XS TECH 2X35W HFD SWD WHI PF/BLU | FDH       | G5     | 3,7     | 96013026 |
| LINE XS TECH 2X35W HFD SWD GRY PF/BLU | FDH       | G5     | 3,5     | 96013027 |
| LINE XS TECH 2X35W HFD WHI PF/BLU     | FDH       | G5     | 3,9     | 96013034 |
| LINE XS TECH 2X35W HFD GRY PF/BLU     | FDH       | G5     | 3,9     | 96013035 |
| LINE XS TECH 2X21W HFD SWD WHI PF/OP  | FDH       | G5     | 2,6     | 96013557 |
| LINE XS TECH 2X21W HFD SWD GRY PF/OP  | FDH       | G5     | 2,6     | 96013558 |
| LINE XS TECH 2X28W HFD SWD WHI PF/OP  | FDH       | G5     | 3,1     | 96013563 |
| LINE XS TECH 2X28W HFD SWD GRY PF/OP  | FDH       | G5     | 3,1     | 96013564 |
| LINE XS TECH 2X28W HFD WHI PF/OP      | FDH       | G5     | 3,1     | 96013571 |
| LINE XS TECH 2X35W HFD SWD WHI PF/OP  | FDH       | G5     | 3,8     | 96013575 |
| LINE XS TECH 2X35W HFD SWD GRY PF/OP  | FDH       | G5     | 3,7     | 96013576 |
| LINE XS TECH 2X35W HFD WHI PF/OP      | FDH       | G5     | 3,9     | 96013583 |
| LINE XS TECH 2X35W HFD GRY PF/OP      | FDH       | G5     | 3,9     | 96013584 |
| LINE XS TECH 2X21W HFD SWD WHI PF/BLU | FDH       | G5     | 2,6     | 96013008 |
| <b>Line XS Uplight</b>                |           |        |         |          |
| LINE XS UP 2X21W WHI PF/BLU           | FDH       | G5     | 2,3     | 96013010 |
| LINE XS UP 2X21W GRY PF/BLU           | FDH       | G5     | 2,3     | 96013011 |
| LINE XS UP 2X28W WHI PF/BLU           | FDH       | G5     | 3,1     | 96013020 |
| LINE XS UP 2X28W GRY PF/BLU           | FDH       | G5     | 3,1     | 96013021 |
| LINE XS UP 2X35W WHI PF/BLU           | FDH       | G5     | 3,9     | 96013032 |
| LINE XS UP 2X35W GRY PF/BLU           | FDH       | G5     | 3,9     | 96013033 |
| LINE XS UP 2X21W WHI PF/OP            | FDH       | G5     | 2,3     | 96013559 |
| LINE XS UP 2X21W GRY PF/OP            | FDH       | G5     | 2,3     | 96013560 |
| LINE XS UP 2X28W WHI PF/OP            | FDH       | G5     | 3,1     | 96013569 |
| LINE XS UP 2X28W GRY PF/OP            | FDH       | G5     | 3,1     | 96013570 |
| LINE XS UP 2X35W WHI PF/OP            | FDH       | G5     | 3,9     | 96013581 |

## Line XS

| Описание                              | Код ILCOS | Патрон | Вт (кг) | Код SAP  |
|---------------------------------------|-----------|--------|---------|----------|
| LINE XS UP 2X35W GRY PF/OP            | FDH       | G5     | 3,9     | 96013582 |
| <b>Line XS Soft</b>                   |           |        |         |          |
| LINE XS SOFT 2X28W WHI PF/BLU         | FDH       | G5     | 2,9     | 96013016 |
| LINE XS SOFT 2X28W GRY PF/BLU         | FDH       | G5     | 2,9     | 96013017 |
| LINE XS SOFT 2X35W WHI PF/BLU         | FDH       | G5     | 3,7     | 96013028 |
| LINE XS SOFT 2X35W GRY PF/BLU         | FDH       | G5     | 3,7     | 96013029 |
| LINE XS SOFT 2X28W WHI PF/OP          | FDH       | G5     | 2,9     | 96013565 |
| LINE XS SOFT 2X28W GRY PF/OP          | FDH       | G5     | 2,9     | 96013566 |
| LINE XS SOFT 2X35W WHI PF/OP          | FDH       | G5     | 3,7     | 96013577 |
| LINE XS SOFT 2X35W GRY PF/OP          | FDH       | G5     | 3,7     | 96013578 |
| <b>Line XS Soft, Диммируемый</b>      |           |        |         |          |
| LINE XS SOFT 2X28W HFD SWD WHI PF/BLU | FDH       | G5     | 3,6     | 96013018 |
| LINE XS SOFT 2X28W HFD SWD GRY PF/BLU | FDH       | G5     | 3,7     | 96013019 |
| LINE XS SOFT 2X35W HFD SWD WHI PF/BLU | FDH       | G5     | 4,3     | 96013030 |
| LINE XS SOFT 2X35W HFD SWD GRY PF/BLU | FDH       | G5     | 4,3     | 96013031 |
| LINE XS SOFT 2X28W HFD SWD WHI PF/OP  | FDH       | G5     | 3,6     | 96013567 |
| LINE XS SOFT 2X28W HFD SWD GRY PF/OP  | FDH       | G5     | 3,6     | 96013568 |
| LINE XS SOFT 2X35W HFD SWD WHI PF/OP  | FDH       | G5     | 4,2     | 96013579 |
| LINE XS SOFT 2X35W HFD SWD GRY PF/OP  | FDH       | G5     | 4,2     | 96013580 |
| <b>Line XS Аксессуары</b>             |           |        |         |          |
| LINE XS DUSTCOVER 21W AC              |           |        | 0,09    | 96100020 |
| LINE XS DUSTCOVER 28/54W AC           |           |        | 0,1     | 96100021 |
| LINE XS DUSTCOVER 35/49W AC           |           |        | 0,14    | 96100022 |
| <b>Line XS Аксессуары</b>             |           |        |         |          |
| LINE XS PENDANT ROD KIT 150MM         |           |        | 0,6     | 96194205 |
| LINE XS UPLIGHT THROUGH WIRING KIT    |           |        | 0,03    | 96100057 |
| LINE XS BLIND 900MM WHI               |           |        | 2,3     | 96100050 |
| LINE XS BLIND 900MM GRY               |           |        | 2,3     | 96100051 |
| LINE XS BLIND 1200MM WHI              |           |        | 2,9     | 96100052 |
| LINE XS BLIND 1200MM GRY              |           |        | 2,9     | 96100053 |
| LINE XS BLIND 1500MM WHI              |           |        | 3,6     | 96100054 |