

TBH375

TBH375

Ball-impact-resistant luminaire for TL-D fluorescent lamps, specially designed for multipurpose sports halls and tennis halls. Lamellae prevent players from seeing directly into the lamps. Strong housing construction protects lamps against ball impact. For surface or recessed mounting. Optics supplied with the luminaire.

Преимущества


- Impact-resistant luminaire specifically designed for multi-purpose sports halls - can be surface-mounted or recessed
- Lamps are protected against ball impact by the strong housing
- Optical system with cross-lamellae reduces glare by preventing users from looking directly into the lamps

Похожие продукты



TBH375 sports luminaire


Чертеж размеров




TBH375

Product	A (Min)	A (Norm)	A (Max)	B (Min)	B (Norm)	B (Max)
TBH375 2xTL-D58W HFP PI		220			313	
TBH375 3xTL-D58W HFP PI		369			463	
TBH375 2xTL-D58W IC 230V PI		220			313	
TBH375 3xTL-D58W IC 230V PI		369			463	
TBH375 2xTL-D58W HFR PI		220			313	
TBH375 3xTL-D58W HFR PI		369			463	
TBH375 2xTL-D58W/830 HFP PI		220			313	
TBH375 2xTL5-49W/830 HFP PI		220			313	
TBH375 2xTL5-80W/830 HFP PI		220			313	
TBH375 4xTL5-49W/830 HFP PI		220			313	
TBH375 4xTL5-80W/830 HFP PI		220			313	
TBH375 3xTL-D58W/830 HFP PI		369			463	
TBH375 3xTL5-49W/830 HFP PI		369			463	
TBH375 3xTL5-80W/830 HFP PI		369			463	
TBH375 6xTL5-80W/830 HFP PI		369			463	
TBH375 3xTL5-80W/830 HFR PI		369			463	
TBH375 2xTL5-49W/830 HFR PI		220			313	
TBH375 2xTL5-80W/830 HFR PI		220			313	
TBH375 4xTL5-49W/830 HFR PI		220			313	
TBH375 4xTL5-80W/830 HFR PI		220			313	
TBH375 3xTL5-49W/830 HFR PI		369			463	
TBH375 6xTL5-49W/830 HFR PI		369			463	

Фотометрические данные



ТВН375 2xTL-D58W HFP



ТВН375 3xTL-D58W HFP

Сравните таблицы

Код заказа	Код семейства продукции	Число ламп	Код лампового семейства	Мощность лампы	Цветовой код лампы	Напряжение питания	IP код	ПРА	схема компенсации	Класс безопасности	Защитная метка
050935 00	ТВН375	2	TL-D	58	-	230-240	IP20	HFP	No	CLI	F
050966 00	ТВН375	3	TL-D	58	-	230-240	IP20	HFP	No	CLI	F
616117 00	ТВН375	2	TL-D	58	-	230	IP20	CONV	IC	CLI	F
616124 00	ТВН375	3	TL-D	58	-	230	IP20	CONV	IC	CLI	F
635637 00	ТВН375	2	TL-D	58	-	230-240	IP20	HFR	No	CLI	F
635644 00	ТВН375	3	TL-D	58	-	230-240	IP20	HFR	No	CLI	F
758046 00	ТВН375	2	TL-D	58	830	230-240	IP20	HFP	No	CLI	F
758077 00	ТВН375	2	TL5	49	830	230-240	IP20	HFP	No	CLI	F
758084 00	ТВН375	2	TL5	80	830	230-240	IP20	HFP	No	CLI	F
758107 00	ТВН375	4	TL5	49	830	230-240	IP20	HFP	No	CLI	F
758121 00	ТВН375	4	TL5	80	830	230-240	IP20	HFP	No	CLI	F
758060 00	ТВН375	3	TL-D	58	830	230-240	IP20	HFP	No	CLI	F
758138 00	ТВН375	3	TL5	49	830	230-240	IP20	HFP	No	CLI	F
758145 00	ТВН375	3	TL5	80	830	230-240	IP20	HFP	No	CLI	F
758169 00	ТВН375	6	TL5	80	830	230-240	IP20	HFP	No	CLI	F
745145 00	ТВН375	3	TL5	80	830	230-240	IP20	HFR	No	CLI	F
791876 00	ТВН375	2	TL5	49	830	230-240	IP20	HFR	No	CLI	F
791883 00	ТВН375	2	TL5	80	830	230-240	IP20	HFR	No	CLI	F
791890 00	ТВН375	4	TL5	49	830	230-240	IP20	HFR	No	CLI	F
791906 00	ТВН375	4	TL5	80	830	230-240	IP20	HFR	No	CLI	F
791920 00	ТВН375	3	TL5	49	830	230-240	IP20	HFR	No	CLI	F
791951 00	ТВН375	6	TL5	49	830	230-240	IP20	HFR	No	CLI	F

Сравните таблицы

Код заказа	Код семейства продукции	Маркировка стран ЕС	Маркировка по ENEC
050935 00	ТВН375	CE	ENEC
050966 00	ТВН375	CE	ENEC
616117 00	ТВН375	CE	ENEC
616124 00	ТВН375	CE	ENEC
635637 00	ТВН375	CE	ENEC
635644 00	ТВН375	CE	ENEC
758046 00	ТВН375	CE	ENEC
758077 00	ТВН375	CE	ENEC
758084 00	ТВН375	CE	ENEC
758107 00	ТВН375	CE	ENEC
758121 00	ТВН375	CE	ENEC
758060 00	ТВН375	CE	ENEC
758138 00	ТВН375	CE	ENEC
758145 00	ТВН375	CE	ENEC
758169 00	ТВН375	CE	ENEC
745145 00	ТВН375	CE	ENEC
791876 00	ТВН375	CE	ENEC
791883 00	ТВН375	CE	ENEC
791890 00	ТВН375	CE	ENEC
791906 00	ТВН375	CE	ENEC
791920 00	ТВН375	CE	ENEC
791951 00	ТВН375	CE	ENEC



© 2010 Koninklijke Philips Electronics N.V.
Все права защищены

Спецификации могут меняться без предупреждения. Торговые марки являются собственностью Koninklijke Philips Electronics N.V. или их соответствующих владельцев

www.philips.com/lighting

2010, Август 12
Данные для изменения